

---  
---, ---  
---, --- ---  
Comment: ---

Operator: SC3 User  
Order number: ---  
  
Aperture: 8 mil, 0.203 mm  
Wavelength: Laser 670 nm  
Unit: Micrometer[μm]  
Date: 7/1/2013 7:25:49 AM  
Device: REA ScanCheck 3 (V.1.0.13.2/11942r)  
Serial Number: 0030.207.106-04723-1

**Symbology: EAN-13**  
**Code Content: 4901372301091**

User comment:  
---

Evaluation: ISO/IEC 15416, ISO/IEC 15420

**Symbol: Pass 4.0/08/670**

Selected grade: 2.5 (B)  
SRP grade: 4.0 (A)

Decode:				4
Symbol contrast:	84%	min 55%		4
Edge Contrast:	64%	min 15%		4
Modulation:	76%	min 60%		4
Rmin/Rmax:	3%	max 50%		4
Defects:	7%	max 20%		4
Decodability:	89%	min 50%		4
Bar deviation:	-4%			

**Optional Parameters**

PCS(SC):	0.95	min 0.75		4
Bright value(Rmax):	86%	min 25%		4
Dark value(Rmin):	3%	max 43%		4
PCS(ECMin):	0.90	min 0.75		4
Bright value(Rs):	71%	min 25%		4
Dark value(Rb):	7%	max 36%		4
Bar:	-30%	-5%	-100%/+100%	4
Space:	-5%	40%	-100%/+100%	4
E-Value:	-25%	45%	-100%/+100%	4
P-Value:	-20%	15%	-100%/+100%	4
Mean:		-15%	-100%/+100%	4
Z-Module:		331	264/660	4
Size:	100%	SC 2	80%/200%	
MF:		1.000	0.800/2.000	
CPI:	10.900			

---  
 ---, ---  
 ---, --- ---  
 Comment: ---

Operator: SC3 User  
 Order number: ---  
 Aperture: 8 mil, 0.203 mm  
 Wavelength: Laser 670 nm  
 Unit: Micrometer[μm]  
 Date: 7/1/2013 7:25:49 AM  
 Device: REA ScanCheck 3 (V.1.0.13.2/11942r)  
 Serial Number: 0030.207.106-04723-1

Detailed evaluation:

B = Bar, S = Space, E = Bar + Space  
 C = Char, CS = Char set, SCV = Value  
 P = P-value, V = Decodability[%]

C	B S E P	B S E V1	B S E V2	E CS	SCV
Start	-5%	-15% 15% -5%			30
9	-5% 0%	-20% 5% -10% 95%	0%	A	9
0	-5% 10%	-15% -5% 5% 94%	-20%	B	10
1	-20% 20%	-15% 15% 0% 98%	-5% 94%	A	1
3	-30% 25%	-20% 20% -10% 93%	-25%	A	3
7	-20% 10%	-5% 10% -20% 96%	-20% 90%	B	17
2	-25% 15%	-15% 30% -20% 92%	15% 100%	B	12

---  
 ---, ---  
 ---, --- ---  
 Comment: ---


Operator: SC3 User  
 Order number: ---  
 Aperture: 8 mil, 0.203 mm  
 Wavelength: Laser 670 nm  
 Unit: Micrometer[μm]  
 Date: 7/1/2013 7:25:49 AM  
 Device: REA ScanCheck 3 (V.1.0.13.2/11942r)  
 Serial Number: 0030.207.106-04723-1

Center	-20%	-10%	10%	15%	10%	31
	10%	10%	25%	5%		
	-25%	-20%	5%	10%		
	5%	92%	93%			
3	-15%	-15%	20%	10%	C	23
	0%	99%	10%	-5%		
0	-10%	-15%	20%	15%	C	20
	5%	97%	5%	-5%		
1	-20%	-5%	10%	30%	C	21
	10%	89%	5%	45%		
0	-20%	-15%	25%	5%	C	20
	-5%	92%	20%	-15%		
9	-15%	-10%	20%	10%	C	29
	5%	93%	20%	0%		
1	-15%	-25%	15%	40%	C	21
	15%	89%	-20%	25%		
Stop	-25%	-15%	20%			30
	-15%	93%				
	-20%					

---  
---, ---  
---, --- ---  
Comment: ---

Operator: SC3 User  
Order number: ---  
Aperture: 8 mil, 0.203 mm  
Wavelength: Laser 670 nm  
Unit: Micrometer[μm]  
Date: 7/1/2013 7:25:49 AM  
Device: REA ScanCheck 3 (V.1.0.13.2/11942r)  
Serial Number: 0030.207.106-04723-1

**Histogram:**



**Barcode reflectance profile:**

