
---, ---
---, --- ---
Comment: ---

Operator: SC3 User
Order number: ---

Aperture: 6 mil, 0.152 mm
Wavelength: Laser 670 nm
Unit: Micrometer[μm]
Date: 6/14/2013 11:02:31 AM
Device: REA ScanCheck 3 (V.1.0.13.2/11942r)
Serial Number: 0030.207.106-04723-1

Symbology: Code 128
Code Content: 26477797

User comment:

Evaluation: ISO/IEC 15416, ISO/IEC 15417

Symbol: Pass 4.0/06/670

Selected grade: 2.5 (B)
SRP grade: 4.0 (A)

Decode:				4
Symbol contrast:	83%	min 55%		4
Edge Contrast:	63%	min 15%		4
Modulation:	76%	min 60%		4
Rmin/Rmax:	3%	max 50%		4
Defects:	11%	max 20%		4
Decodability:	88%	min 50%		4
Bar deviation:	-3%			

Optional Parameters

PCS(SC):	0.95	min 0.75		4
Bright value(Rmax):	86%	min 25%		4
Dark value(Rmin):	3%	max 43%		4
PCS(ECMin):	0.85	min 0.75		4
Bright value(Rs):	73%	min 25%		4
Dark value(Rb):	10%	max 36%		4
Bar:	-25%	0%	-100%/+100%	4
Space:	0%	25%	-100%/+100%	4
E-Value:	-20%	25%	-100%/+100%	4
P-Value:	-20%	20%	-100%/+100%	4
Mean:		-11%	-100%/+100%	4
Z-Module:		341		
MF:		0.341		
CPI:		6.769		

 ---, ---
 ---, --- ---
 Comment: ---

Operator: SC3 User
 Order number: ---
 Aperture: 6 mil, 0.152 mm
 Wavelength: Laser 670 nm
 Unit: Micrometer[μm]
 Date: 6/14/2013 11:02:31 AM
 Device: REA ScanCheck 3 (V.1.0.13.2/11942r)
 Serial Number: 0030.207.106-04723-1

Detailed evaluation:

B = Bar, S = Space, E = Bar + Space
 C = Char, CS = Char set, SCV = Value
 P = P-value, V = Decodability[%]


C	B S E P	B S E V1	B S E V2	E CS	SCV
StartC	-20% 10% -20% -20%	-10% 15% 5% 92%	-15% 15% 10% 94%	-5% C	105
26	-15% 10% -5% -5%	-10% 5% 0% 94%	-10% 15% -5% 90%	-10% C	26
47	-15% 5% -20% -20%	-5% 15% -5% 91%	-10% 5% 15% 92%	5% C	47
77	-5% 10% 10% 20%	-5% 10% 5% 99%	-5% 5% 5% 91%	5% C	77
97	-15% 15% 0% -10%	-10% 10% 5% 94%	-10% 5% -5% 90%	0% C	97
CD	0% 10% 20% 15%	-15% 0% -5% 88%	0% 10% -20% 88%	5%	20
Stop >	-20% 20% -5% 10%	-15% 10% 0% 94%	-10% 25% -15% 95%	0%	106

---, ---
---, --- ---
Comment: ---

Operator: SC3 User
Order number: ---
Aperture: 6 mil, 0.152 mm
Wavelength: Laser 670 nm
Unit: Micrometer[μ m]
Date: 6/14/2013 11:02:31 AM
Device: REA ScanCheck 3 (V.1.0.13.2/11942r)
Serial Number: 0030.207.106-04723-1

	-25%	-10%	-15%	
	25%	10%	20%	
	0%	25%	0%	-15%
Stop <	5%	91%	95%	106

Histogram:



---, ---
---, --- ---
Comment: ---

Operator: SC3 User
Order number: ---
Aperture: 6 mil, 0.152 mm
Wavelength: Laser 670 nm
Unit: Micrometer[μ m]
Date: 6/14/2013 11:02:31 AM
Device: REA ScanCheck 3 (V.1.0.13.2/11942r)
Serial Number: 0030.207.106-04723-1

Barcode reflectance profile:

